OXYCHONA MIMARUM Ancey.

Oxychona bifasciata var. mimarum Anc., Le Nat., 1901, p. 93. Pilsbry, Man. Conch. XIV, p. 154. This unfigured form from Minas Geraes is probably specifically distinct. Not seen by the writer.

A LIST OF MOLLUSKS COLLECTED AT CASTLE ISLAND, BOSTON.

BY SHIELDS WARREN.

Castle Island, Boston Harbor, is an interesting collecting ground owing to the number of mollusks that flourish there under the adverse conditions necessarily present in a great seaport. The main channel to the inner harbor passes the island, and every ebb-tide strands much of the water-front debris on its shores. Although the island would seem an unfavorable habitat for even hardy mollusks, it is one of the best collecting places for nudibranchs in the vicinity of Boston. In the early spring considerable numbers come there to breed, particularly Acanthodoris pilosa and Lamellidoris bilamellata, and I have found scattered specimens of these and other species from October to June.

The shore of the island on the east and south is sand and gravel with scattered boulders, and is sand and mud, with patches of eel-grass, elsewhere. Between Castle Island and City Point are extensive mussel flats; and clay, dredged from the neighboring channel and dumped beside the bridge, contains numerous valves of oysters and quahaugs similar to those found in the excavations for the Boylston Street Subway. Litorina littorea is very plentiful on the rocks and is gathered by the Italians for food. The imbricated form of Thais lapillus is fairly abundant.

Below is a list of the mollusks I have collected on the island, and which seems to be fairly representative of the whole of Boston harbor. Species marked with an asterisk have not been obtained living.

Ostrea virginica.* Pecten magellanicus.* Anomia aculeata. Anomia simplex. Mytilus edulis. Modiolus modiolus. Modiolus demissus plicatulus.* Clidiophora gouldiana. Venus mercenaria.* Ensis directus. Mesodesma arctatum. Mya arenaria. Saxicava arctica. Acmaea testudinalis. Polinices heros. Polinices triseriata.* Crepidula fornicata. Crepidula glauca.

Crepidula plana. Cinqula aculeus. Litorina littorea. Litorina obtusata palliata. Litorina rudis. Lacuna vincta. Urosalpinx cinereus.* Thais lapillus. Alectrion obsoleta. Alectrion trivittata. Colus stimpsonii. Aeolidia papillosa. Coryphella rufibranchialis mananensis. Palio lessonii. Acanthodoris pilosa. Lamellidoris bilamellata. Lamellidoris muricata.

MARTYN'S UNIVERSAL CONCHOLOGIST.

A copy of this rare work has recently been obtained by the Boston Society of Natural History. Bernard Quaritch, in describing this copy in his catalogue, says—"4 vols. atlas 4to, with colored frontispiece, 2 engraved plates of medals and 160 plates containing 322 colored figures. Contemporary tree-calf, neatly rebacked. With the [John] Townly book plate.

"The copy agrees with that in the British Museum (Natural History) and is quite complete. The complete work in four volumes is very rare although the first two are comparatively common. Even Sir Joseph Banks was unsuccessful when endeavoring to obtain the entire work. Evidently Martyn only completed copies by order. Other than the copy offered, only one example has occurred for sale by auction in London since 1895 and I have been able to trace the sale of only eight copies for upwards of 50 years prior to that date. The Roscoe copy sold for £32 2 s. 6d. and the Fonthill example for £52.10 s." The Society's copy cost £21.